


installation accessory DSZ1WW1M1



- includes necessary installation parts to install the motor up to 3 m away from the ventilation unit

Dimensions of the packed product (HxWxD):335x455x670 mm
Pallet dimensions: 200.0 x 80.0 x 120.0
Standard number of units per pallet: 12
Net weight:5.7 kg
Gross weight: 8.7 kg
EAN code:4242005241651





installation accessory
DSZ1WW1M1

Optional accessories


- includes necessary installation parts to install the motor up to 3 m away from the ventilation unit

installation accessory

DSZ1WW1M1




A: ≥ 20 mm between the Guided Air suction area and a cabinet wall
 B: Cover must always be accessible



A: Worktop overhang protruding beyond unit carcass
 B: ≥ 20 mm between the Guided Air suction area and a cabinet wall
 C: Cover must always be accessible


measurements in mm




A: Access to the entire cover must be ensured even after installation.

The cover can be installed on the front or rear of the appliance.


Example



A: Cover must always be accessible
 B: Clearance between motor unit and appliance max. 3 mm
 Motor unit must always be accessible

Example


- A:** Cover must always be accessible
B: Clearance between motor unit and appliance max. 3 m
 Motor unit must always be accessible

Example


- A:** Cover must always be accessible
B: Clearance between motor unit and appliance max. 3 m
 Motor unit must always be accessible

Measurements in mm
