

# Safety Data Sheet

according to Regulation (EC) No 2020/878

## Liquid descaler for kettles, coffee machines and steam ovens (312009, 312012)

Revision date: 05.11.2024

Product code: 00312009\_00312012

Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Liquid descaler for kettles, coffee machines and steam ovens (312009, 312012)

UFI: 0D10-80TD-U00T-E7R8

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

The product is intended for consumer use.

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

Company name:	Bavariapool Thomas Emmerichs GmbH	
Street:	Gewerbering 11	
Place:	D-82140 Olching	
Telephone:	+49 8142 445040	Telefax: +49 8142 4450410
E-mail:	info@bavariapool.de	
Contact person:	Labor	
Internet:	www.bavariapool.de	

##### Supplier

Company name:	BSH Home Appliances Ltd.
Street:	M50 Business Park
Place:	IRL-Dublin 12 Ballymount
Telephone:	01450 2655
E-mail:	mks-spares-ie@bshg.com

#### 1.4. Emergency telephone number: NPIC emergency number: 01 809 2133

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

#### 2.2. Label elements

##### Additional advice on labelling

not relevant

#### 2.3. Other hazards

No risks worthy of mention.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

**Safety Data Sheet**

according to Regulation (EC) No 2020/878

**Liquid descaler for kettles, coffee machines and steam ovens (312009, 312012)**

Revision date: 05.11.2024

Product code: 00312009\_00312012

Page 2 of 9

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
5329-14-6	sulfamic acid			1 - < 5 %
	226-218-8	016-026-00-0	01-2119488633-28	
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 3; H315 H319 H412			
7664-38-2	Phosphoric acid			1 - < 5 %
	231-633-2	015-011-00-6	01-2119485924-24	
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1B; H290 H302 H314			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
5329-14-6	226-218-8	sulfamic acid	1 - < 5 %
		oral: LD50 = 3160 mg/kg	
7664-38-2	231-633-2	Phosphoric acid	1 - < 5 %
		dermal: LD50 = 2740 mg/kg; oral: LD50 = 1250 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25	

**Labelling for contents according to Regulation (EC) No 648/2004**

&lt; 5 % non-ionic surfactants.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Immediately remove any contaminated clothing, shoes or stockings. Remove casualty to fresh air and keep warm and at rest.

**After inhalation**

Provide fresh air.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**After ingestion**

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

No risks worthy of mention.

**4.3. Indication of any immediate medical attention and special treatment needed**

First Aid, decontamination, treatment of symptoms.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**5.2. Special hazards arising from the substance or mixture**

In case of fire may be liberated: Sulphur oxides, Nitrogen oxides (NOx), Phosphorus oxides (e.g. P2O5),

**Safety Data Sheet**

according to Regulation (EC) No 2020/878

**Liquid descaler for kettles, coffee machines and steam ovens (312009, 312012)**

Revision date: 05.11.2024

Product code: 00312009\_00312012

Page 3 of 9

Ammonia (NH<sub>3</sub>).**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Avoid contact with skin, eyes and clothes. Use personal protection equipment.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****For containment**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Suitable material for diluting or neutralizing: Water.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Conditions to avoid: generation/formation of aerosols. Use only in well-ventilated areas.

**Advice on protection against fire and explosion**

The product itself does not burn. No special fire protection measures are necessary.

**Advice on general occupational hygiene**

Avoid contact with skin, eyes and clothes.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Suitable container/equipment material: Polyethylene (PE), Material, acid-resistant.

Unsuitable container/equipment material: Metal.

**Hints on joint storage**

Do not store together with: Alkali (lye).

**7.3. Specific end use(s)**

Observe instructions for use.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	
		-	2		STEL (15 min)	

**Safety Data Sheet**

according to Regulation (EC) No 2020/878

**Liquid descaler for kettles, coffee machines and steam ovens (312009, 312012)**

Revision date: 05.11.2024

Product code: 00312009\_00312012

Page 4 of 9

**DNEL/DMEL values**

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
7664-38-2	Phosphoric acid		
Worker DNEL, long-term	inhalation	local	2,92 mg/m <sup>3</sup>
Consumer DNEL, long-term	inhalation	local	0,73 mg/m <sup>3</sup>
Worker DNEL, long-term	inhalation	systemic	1 mg/m <sup>3</sup>

**PNEC values**

CAS No	Substance	
Environmental compartment	Value	
5329-14-6	sulfamic acid	
Freshwater	0,048 mg/l	
Marine water	0,0048 mg/l	
Freshwater sediment	0,173 mg/kg	
Marine sediment	0,0173 mg/kg	
Micro-organisms in sewage treatment plants (STP)	2 mg/l	
Soil	0,00638 mg/kg	

**Additional advice on limit values**

See section 7. No additional measures necessary.

**8.2. Exposure controls****Appropriate engineering controls**

No special measures are necessary.

**Individual protection measures, such as personal protective equipment****Skin protection**

No special measures are necessary.

**Respiratory protection**

Usually no personal respirative protection necessary.

**Environmental exposure controls**

No special environmental protection measures are necessary.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	liquid	
Colour:	colourless	
Odour:	odourless	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		98 °C
Flammability:		not applicable
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Flash point:		not applicable
Auto-ignition temperature:		not applicable
Decomposition temperature:		not determined
pH-Value (at 20 °C):		0,8
Viscosity / kinematic:		not determined

**Safety Data Sheet**

according to Regulation (EC) No 2020/878

**Liquid descaler for kettles, coffee machines and steam ovens (312009, 312012)**

Revision date: 05.11.2024

Product code: 00312009\_00312012

Page 5 of 9

Water solubility: (at 20 °C)	miscible.
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure: (at 20 °C)	not determined
Density (at 20 °C):	1,036 g/cm <sup>3</sup>
Bulk density:	not applicable
Relative vapour density:	not determined

**9.2. Other information****Information with regard to physical hazard classes**

Explosive properties not applicable	
Self-ignition temperature Solid:	not applicable
Gas:	not applicable
Oxidizing properties Not oxidising.	

**Other safety characteristics**

Evaporation rate:	not determined
Solvent separation test:	No data available
Solvent content:	No data available
Solid content:	not determined
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
Viscosity / dynamic:	not determined
Flow time:	not determined

**Further Information**

Corrosion rate on steel or aluminum surfaces is &lt; 6,25mm per year at a test temperature of 55 °C

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Exothermic reaction with: Alkali (lye).

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Exothermic reaction with: Alkali (lye).

**10.4. Conditions to avoid**

Response: &gt;

**10.5. Incompatible materials**

The product develops hydrogen in an aqueous solution in contact with metals.

**10.6. Hazardous decomposition products**In case of fire may be liberated: Sulphur oxides, Nitrogen oxides (NO<sub>x</sub>), Phosphorus oxides (e.g. P<sub>2</sub>O<sub>5</sub>), Ammonia (NH<sub>3</sub>), Gases/vapours, irritant .**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Safety Data Sheet**

according to Regulation (EC) No 2020/878

**Liquid descaler for kettles, coffee machines and steam ovens (312009, 312012)**

Revision date: 05.11.2024

Product code: 00312009\_00312012

Page 6 of 9

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) &gt; 2000 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation vapour) &gt; 20 mg/l; ATE (inhalation dust/mist) &gt; 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
5329-14-6	sulfamic acid				
	oral	LD50 mg/kg	3160	Rat	
7664-38-2	Phosphoric acid				
	oral	LD50 mg/kg	1250	Rat	
	dermal	LD50 mg/kg	2740	Rabbit	

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards****Endocrine disrupting properties**

not applicable

**SECTION 12: Ecological information****12.1. Toxicity**

The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised. After neutralisation, toxicity is no longer observed.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
5329-14-6	sulfamic acid					
	Acute fish toxicity	LC50 mg/l	70,3	96 h	Pimephales promelas (fathead minnow)	
7664-38-2	Phosphoric acid					
	Acute fish toxicity	LC50	138 mg/l	96 h	Gambusia affinis	
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna (Big water flea)	

**12.2. Persistence and degradability**

**Safety Data Sheet**

according to Regulation (EC) No 2020/878

**Liquid descaler for kettles, coffee machines and steam ovens (312009, 312012)**

Revision date: 05.11.2024

Product code: 00312009\_00312012

Page 7 of 9

Highly thinned solution of an inorganic acid Inorganic product which is not eliminable from water through biological cleaning processes.

**12.3. Bioaccumulative potential**

No indication of bioaccumulation potential.

**12.4. Mobility in soil**

If product enters soil, it will be mobile and may contaminate groundwater.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

not applicable

**12.7. Other adverse effects**

none

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation.

**List of Wastes Code - residues/unused products**

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

**List of Wastes Code - used product**

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

**List of Wastes Code - contaminated packaging**

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

**Contaminated packaging**

Contaminated packaging:

**SECTION 14: Transport information****Land transport (ADR/RID)****14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**14.4. Packing group:**

No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)****14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**14.4. Packing group:**

No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)****14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**Safety Data Sheet**

according to Regulation (EC) No 2020/878

**Liquid descaler for kettles, coffee machines and steam ovens (312009, 312012)**

Revision date: 05.11.2024

Product code: 00312009\_00312012

Page 8 of 9

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.**14.4. Packing group:** No dangerous good in sense of this transport regulation.**Air transport (ICAO-TI/IATA-DGR)****14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.**14.4. Packing group:** No dangerous good in sense of this transport regulation.**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

IF SWALLOWED: Call a POISON CENTER if you feel unwell.

**14.7. Maritime transport in bulk according to IMO instruments**

not relevant

**Other applicable information**

Corrosion rate on steel or aluminum surfaces is &lt; 6,25mm per year at a test temperature of 55 °C

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

**National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

Indication of changes: section 6, 11, 12

**Abbreviations and acronyms**

Met. Corr: Substance or mixture corrosive to metals

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Skin Irrit: Skin irritation

Eye Irrit: Eye irritation

Aquatic Chronic: Chronic aquatic hazard

**Relevant H and EUH statements (number and full text)**

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

## Safety Data Sheet

according to Regulation (EC) No 2020/878

### Liquid descaler for kettles, coffee machines and steam ovens (312009, 312012)

Revision date: 05.11.2024

Product code: 00312009\_00312012

Page 9 of 9

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*