
Printing date 23.01.2024

Version number 1.00

Revision: 22.01.2024



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2024

Version number 1.00

Revision: 22.01.2024

### Trade name: Schnellentkalker / Quick Descaler

	(Contd. of page 1)
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves / eye protection / face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
· 2.3 Other haza	rds
Results of PBT	and vPvB assessment
• PBT: Not applic	able.

• **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous components:</li> </ul>		
CAS: 77-92-9 EINECS: 201-069-1 Reg.nr.: 01-2119457026-42	citric acid	>50–≤1009
CAS: 110-16-7 EINECS: 203-742-5	maleic acid Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 Specific concentration limit: Skin Sens. 1; H317: $C \ge 0.1$ %	>2.5-<109
· Regulation (EC) No 648/20	04 on detergents / Labelling for contents	
non-ionic surfactants		<5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

· 4.1 Description of first aid measures

After inhalation:

- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing: If symptoms persist consult doctor.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 3)

ΙE・

Printing date 23.01.2024

Version number 1.00

Revision: 22.01.2024

(Contd. of page 2)

### Trade name: Schnellentkalker / Quick Descaler

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. • **Information about fire - and explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

• Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.

· Storage class: 11

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

 Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2024

Version number 1.00

Revision: 22.01.2024

#### Trade name: Schnellentkalker / Quick Descaler

(Contd. of page 3) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Butyl rubber, BR Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.5 \text{ mm}$ 

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

# SECTION 9: Physical and chemical properties

General Information	Colid	
Physical state	Solid	
Colour:	Light brown	
Odour:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	. Undetermined.	
Boiling point or initial boiling point ar		
boiling range	Undetermined.	
Flammability	Not determined.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	>93 °C	
Auto-ignition temperature:	1010 °C (77-92-9 citric acid)	
Decomposition temperature:	Not determined.	
pH at 20 °C	2.2 (1%)	
Viscosity:		
Kinematic viscosity	Not applicable.	
Dynamic:	Not applicable.	
Solubility		
water:	Soluble.	
Partition coefficient n-octanol/water (	log	
value)	Not determined.	
Vapour pressure:	Not applicable.	
Density and/or relative density		
Density at 20 °C:	1.4–1.5 g/cm³	
Relative density	Not determined.	
Bulk density:	963 kg/m³	
Vapour density	Not applicable.	
Particle characteristics		
See section 3.		

Printing date 23.01.2024

Version number 1.00

Revision: 22.01.2024

### Trade name: Schnellentkalker / Quick Descaler

	(Contd. of page
· 9.2 Other information	
· Appearance:	
Form:	Granulate
· Important information on protection of hea	alth
and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
· Evaporation rate	Not applicable.
· Information with regard to physical haz	ard
classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
Flammable solids	Void
• Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
<sup>·</sup> Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

## SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral | LD50 | 7911 mg/kg (rat)

Dermal LD50 17431 mg/kg (rabbit)

### 77-92-9 citric acid

Oral LD50 5040 mg/kg (mouse)

(Contd. on page 6)

IE -

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2024

Version number 1.00

Revision: 22.01.2024

(Contd. of page 5)

### Trade name: Schnellentkalker / Quick Descaler

110-16-7 maleic acid

Oral LD50 708 mg/kg (rat)

Dermal LD50 1560 mg/kg (rabbit)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Causes serious eye irritation.

· Respiratory or skin sensitisation May cause an allergic skin reaction.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure May cause respiratory irritation.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

## SECTION 12: Ecological information

#### · 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.

• **vPvB:** Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

	waste catalogue detergents containing hazardous substances
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
· Uncleaned packaging:	

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Contd. on page 7)

Printing date 23.01.2024

Version number 1.00

Revision: 22.01.2024

#### Trade name: Schnellentkalker / Quick Descaler

(Contd. of page 6)

14.1 UN number or ID number ADR, IMDG, IATA	not regulated	
	notregulated	
14.2 UN proper shipping name ADR, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	not regulated	
14.4 Packing group ADR, IMDG, IATA	not regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accord	ing to	
IMO instruments	Not applicable.	
IMO instruments UN "Model Regulation":	Not applicable. not regulated	

## SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

(Contd. on page 8)

<sup>—</sup> í

Printing date 23.01.2024

Version number 1.00

Revision: 22.01.2024

### Trade name: Schnellentkalker / Quick Descaler

H335 May cause respiratory irritation.	(Contd. of page 7	
Classification according to Regulation (EC)	No 1272/2008	
Serious eye damage/irritation	The classification of the mixture is generally based	
Skin sensitisation	on the calculation method using substance data	
Specific target organ toxicity (single exposure)	according to Regulation (EC) No 1272/2008.	
· Date of previous version: 09.03.2022		
Abbreviations and acronyms:		
	ndises dangereuses par route (European Agreement Concernin	
the International Carriage of Dangerous Goods by Road)		
IMDG: International Maritime Code for Dangerous Goods		
IATA: International Air Transport Association		
GHS: Globally Harmonised System of Classification and L		
EINECS: European Inventory of Existing Commercial Che	mical Substances	
ELINCS: European List of Notified Chemical Substances		
CAS: Chemical Abstracts Service (division of the American	n Chemical Society)	
LC50: Lethal concentration, 50 percent		
LD50: Lethal dose, 50 percent		
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative		
Acute Tox. 4: Acute toxicity – Category 4		
Skin Irrit. 2: Skin corrosion/irritation – Category 2		
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	2	
Skin Sens. 1: Skin sensitisation – Category 1	2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
** Data compared to the previous version alt		
Data compared to the previous version all		